

TOWN OF ACTON
HAZARDOUS MATERIALS CONTROL BYLAW

April 1, 2008

Due \$165.00

Colonial Acres Condo Association

Category 4,9

c/o Barrington Management

376 Mass. Ave.

Arlington, MA 02474

Acton, MA 01720

Please note change of address
P.O. BOX 581
ACTON, MA 01720-0581

Site Address

1 Squirell Hill Road

HAZARDOUS MATERIALS CONTROL PERMIT RENEWAL APPLICATION

Categories

- | | |
|--|--|
| 1. Hazardous Waste Generator (\$55) | 2. Sm. Hazardous Waste Generator (\$35) |
| 3. Hazardous Materials Generator (\$55) | 4. Hazardous Materials User (\$35) |
| 5. Discharge Permit (\$115) | 6. Remediation Permit (\$115) |
| 7. Hazardous Waste User (\$55) | 8. Haz. Mat. Storer Large Industry (\$195) |
| 9. Haz. Mat. Storer Small Industry (\$130) | 10. Haz. Mat. Storer Large Retail (\$140) |
| 11. Haz. Mat. Storer Small Retail (\$115) | 12. Haz. Waste Storer Sm. Industry (\$35) |
| 13. Haz. Waste Storer Retail (\$35) | 14. Haz Waste Storer Lge. Industry (\$55) |

Provide the following information under the authority of the General Laws of the Commonwealth of Massachusetts, Chapter 94, Section 305A, and Chapter 3, Section 5.

ESTABLISHMENT NAME:

COLONIAL ACRES W CONDO ASSOCIATION

ESTABLISHMENT ADDRESS:

0 SQUIRREL HILL RD TREATMENT PLANT

ESTABLISHMENT TELEPHONE:

OWNERS/CORPORATE OFFICERS:

COLONIAL ACRES W CONDO. ASSOCIATION

ADDRESS:

P.O BOX 581 ACTON MA 01720

TELEPHONE:

978-263-1248

ON-SITE MANAGER:

DENISE KRUCKER

OPERATING SCHEDULE:

24 - 24

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

Signature of Owner/Applicant

5-1-08

Date

20-1537871

S.S.I or F.I.N. Number

Please remit to Acton Board of Health, 472 Main Street, Acton, MA 01720
No Later Than April 30, 2008

Issued 5-1-08

\$165
Expires 5/1/09

**TOWN OF ACTON
PERMIT
HAZARDOUS MATERIALS CONTROL BYLAW**

Colonial Acres Condominium Association Treatment Plan
Of PO Box 581, Acton, MA 01720

Is hereby granted a permit to store and use Hazardous Materials at **0 Squirrel Hill Road** Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: 4,9

*See below explanation of permit categories

HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES

<u>Category</u>	<u>Initial</u>	<u>Renewal</u>
1. Large Hazardous Waste Generator	\$130	\$55
2. Small Hazardous Waste Generator	\$50	\$35
3. Hazardous Materials Generator	\$130	\$55
4. Hazardous Materials User	\$50	\$35
5. Remediation Discharge Permit	\$505	\$115
6. Remediation Permit	\$505	\$115
7. Hazardous Waste User	\$130	\$55
8. Hazardous Materials Storer Large Industry	\$430	\$195
9. Hazardous Materials Storer Small Industry	\$315	\$130
10. Hazardous Materials Storer Large Retail	\$375	\$140
11. Hazardous Materials Storer Small Retail	\$270	\$115
12. Hazardous Waste Storer Large Industry	\$130	\$55
13. Hazardous Waste Storer Small Industry	\$50	\$35
14. Hazardous Waste Storer Retail	\$50	\$35

HAZARDOUS MATERIALS CONTROL PERMIT

List of Conditions:

Squirrel Hill Road WWTF

1 Squirrel Hill Road

Acton, MA 01720

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
5. All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
10. All floor drains be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.

13. A safety eye wash station shall be installed where any Hazardous Materials or Wastes are handled or used.
14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.
15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.
23. Directions written in two languages. English and a second language used by two or more employees (when applicable), shall be posted in clear view, listing emergency procedures.
25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.